Primary Preventative Procedure Codes by Benefit Program

This document provides a list of program-specific primary and preventative procedure codes eligibile for reimbursement under each benefit program administered by the CMSP Governing Board. Please refer to each of the program specifications below for additional details regarding reimbursement of services from this list, where to find the most up-to-date list of procedure codes, and where to find more information regarding each program.



Customer Service Phone: (877) 589-6807

Website: https://cmsp.amm.cc/

• For the CMSP benefit, the following list is of procedure codes that do NOT require the member's Share of Cost (SOC) to be met in order to be eligible for reimbursement. Please refer to the corresponding column of this list to determine if these services are covered under the CMSP benefit without a SOC.

- The following services must be rendered by a CMSP contracted provider in order to be eligible for reimbursement. For a list of contracted providers, visit https://cmsp.amm.cc/ProviderSearch.
- This is NOT a comprehensive list of covered services under the CMSP benefit. For a list of covered and non-covered services under the CMSP benefit program, please refer to the CMSP Provider Operations Manual available at https://cmsp.amm.cc/Providers.



Customer Service Phone: (877) 283-PATH (7284)

Website: https://pathtohealth.amm.cc/

- Please refer to the corresponding column of the following list to determine if these services are covered under Path to Health.
- The following services must be rendered by a CMSP contracted provider in order to be eligible for reimbursement. For a list of contracted providers, visit https://pathtohealth.amm.cc/ProviderSearch. To find an enrollment clinic, visit https://mypathtohealth.org/provider-locator/.



Customer Service Phone: (888) 614-0846

Website: https://connecttocare.amm.cc/

- Please refer to the corresponding column of the following list to determine if these services are covered under Connect to Care.
- The following services must be rendered by a CMSP contracted provider in order to be eligible for reimbursement. For a list of contracted providers, visit https://connecttocare.amm.cc/ProviderSearch. To find an enrollment clinic, visit https://myconnecttocare.org/provider-locator/.

Page 1 of 12 CMSP.PTH+CTC.ApprvdCodes.22-02

LEGEND			
~	Covered Code		
~	Non-Covered Code		

CPT Code	Procedure	CPT/HCPCS Code Description	CMSP (No SOC Required)	Path to Health	Connect to Care
10060	Incision & Drainage of Abscess	Simple or Single	V	~	V
10061	Incision & Drainage of Abscess	Complicated or Multiple	~	~	~
10160	Incision & Drainage of Abscess	Puncture Aspiration of Abscess	~	~	~
11200	Removal of Skin Tags - 15 Skin Tags	Removal of Skin Tags, Multiple Fibrocutaneous Tags, Any Area; Up to and including 15 Lesions	~	>	~
11201	Removal of Skin Tags - Each Additional 10 Skin Tags	Removal of Skin Tags, Multiple Fibrocutaneous Tags, Any Area; Up to and including 15 Lesions; Each Additional 10 Lesions, or Part Thereof (List Separately in Addition to Code for Primary Procedure)	~	~	~
11300	Shaving of Epidermal or Dermal Lesions - 0.5 cm or Less	Shaving of Epidermal or Dermal Lesion, Single Lesion, Trunk, Arms or Legs; Lesion Diameter 0.5 cm or Less	√	V	✓
	Shaving of Epidermal or Dermal Lesions - 0.6 to 1.0 cm	Shaving of Epidermal or Dermal Lesion, Single Lesion, Trunk, Arms or Legs; Lesion Diameter 0.6 cm to 1.0 cm	V	V	<u> </u>
11400	Excision - Benign Lesions (Trunk, Arms and Legs) 0.5 cm or Less	Excision, Benign Lesion including Margins, Except Skin Tag (Unless Listed Elsewhere), Trunk, Arms, or Legs; Excised Diameter 0.5 cm or Less	V	Y	~
11401	Excision - Benign Lesions (Trunk, Arms and Legs) 0.6 to 1.0 cm	Excision, Benign Lesion including Margins, Except Skin Tag (Unless Listed Elsewhere), Trunk, Arms, or Legs; Excised Diameter 0.6 cm to 1 cm	~	~	~
11420	Excision - Benign Lesions (Scalp, Neck, Hands, Feet) 0.5 cm or Less	Excision, Benign Lesion including Margins, Except Skin Tag (Unless Listed Elsewhere), Scalp, Neck, Hands, Feet, Genitalia; Excised Diameter 0.5 cm or Less	~	~	~
11421	Excision - Benign Lesions (Scalp, Neck, Hands, Feet) 0.6 cm to 1.0 cm	Excision, Benign Lesion including Margins, Except Skin Tag (Unless Listed Elsewhere), Scalp, Neck, Hands, Feet, Genitalia; Excised Diameter 0.6 cm to 1.0 cm	~	>	~
11440	Excision - Benign Lesions (Face, Ears, Eyelids, Nose, Lips, Mucous Membrane) 0.5 cm or Less	Excision, Benign Lesion including Margins, Except Skin Tag (Unless Listed Elsewhere), Face, Ears, Eyelids, Nose, Lips, Mucous Membrane; Excised Diameter 0.5 cm or Less	~	~	~
11441	Excision - Benign Lesions (Face, Ears, Eyelids, Nose, Lips, Mucous Membrane) 0.6 cm to 1.0 cm	Excision, Benign Lesion including Margins, Except Skin Tag (Unless Listed Elsewhere), Face, Ears, Eyelids, Nose, Lips, Mucous Membrane: Excised Diameter 0.6 to 1.0 cm	~	>	✓
11765	Ingrown Toenail Removal	Wedge Excision of Skin of Nail Fold (e.g., for Ingrown Toenail)	V	/	V
12001	Minor Laceration Repair - Simple Repair 2.5 cm or Less	Simple Repair of Superficial Wounds of Scalp, Neck, Axillae, External Genitalia, Trunk and/or Extremities (including Hands and Feet): 2.5 cm or Less	~	~	~
12002	Minor Laceration Repair - Simple Repair 2.6 cm to 7.5 cm	Simple Repair of Superficial Wounds of Scalp, Neck, Axillae, External Genitalia, Trunk and/or Extremities (including Hands and Feet); 2.6 cm to 7.5 cm	~	~	~
12004	Minor Laceration Repair - Simple Repair 7.6 cm to 12.5 cm	Simple Repair of Superficial Wounds of Scalp, Neck, Axillae, External Genitalia, Trunk and/or Extremities (including Hands and Feet); 7.6 cm to 12.5 cm	~	>	~
12005	Minor Laceration Repair - Simple Repair 12.6 cm to 20.0 cm	Simple Repair of Superficial Wounds of Scalp, Neck, Axillae, External Genitalia, Trunk and/or Extremities (including Hands and Feet); 12.6 cm to 20.0 cm	>	>	✓
12006	Minor Laceration Repair - Simple Repair 20.1 cm to 30.0 cm	Simple Repair of Superficial Wounds of Scalp, Neck, Axillae, External Genitalia, Trunk and/or Extremities (including Hands and Feet); 20.1 cm to 30.0 cm	~	~	~
12007	Minor Laceration Repair - Simple Repair Over 30.0 cm	Simple Repair of Superficial Wounds of Scalp, Neck, Axillae, External Genitalia, Trunk and/or Extremities (including Hands and Feet); Over 30.0 cm	>	>	~
12011	Minor Laceration Repair - Simple Repair 2.5 cm or Less	Simple Repair of Superficial Wounds of Face, Ears, Eyelids, Nose, Lips and/or Mucous Membranes; 2.5 cm or Less	~	>	✓
	Minor Laceration Repair - Simple Repair 2.6 cm to 5.0 cm	Simple Repair of Superficial Wounds of Face, Ears, Eyelids, Nose, Lips and/or Mucous Membranes; 2.6 cm to 5.0 cm	✓	~	✓
	Minor Laceration Repair - Simple Repair 5.1 cm to 7.5 cm	Simple Repair of Superficial Wounds of Face, Ears, Eyelids, Nose, Lips and/or Mucous Membranes; 5.1 cm to 7.5 cm	✓	~	~
	Minor Laceration Repair - Simple Repair 7.6 cm to 12.5 cm	Simple Repair of Superficial Wounds of Face, Ears, Eyelids, Nose, Lips and/or Mucous Membranes; 7.6 cm to 12.5 cm	✓	~	/
	Minor Laceration Repair - Simple Repair 12.6 cm to 20.0 cm	Simple Repair of Superficial Wounds of Face, Ears, Eyelids, Nose, Lips and/or Mucous Membranes; 12.6 cm to 20.0 cm	~	V	V
12017	Minor Laceration Repair - Simple Repair 20.1 cm to 30.0 cm	Simple Repair of Superficial Wounds of Face, Ears, Eyelids, Nose, Lips and/or Mucous Membranes; 20.1 cm to 30.0 cm	V	V	~
	Minor Laceration Repair - Simple Repair Over 30.0 cm	Simple Repair of Superficial Wounds of Face, Ears, Eyelids, Nose, Lips and/or Mucous Membranes; Over 30.0 cm	V	V	~
12020	Minor Laceration Repair - Simple Repair	Treatment of Superficial Wound Dehiscence; Simple Closure	V		/
12021 13100	Minor Laceration Repair - Simple Repair; with Packing Benign Skin Tag, Mole, Wart Removal (No Pathology Needed) - Repair, Complex, Trunk; 1.1	Treatment of Superficial Wound Dehiscence; Simple Closure; with Packing Repair, Complex, Trunk; 1.1 cm to 2.5 cm	y	> >	y
13101	cm to 2.5 cm Benign Skin Tag, Mole, Wart Removal (No Pathology Needed) - Repair, Complex, Trunk; 2.6	Repair, Complex, Trunk; 2.6 cm to 7.5 cm	· ·		
	cm to 7.5 cm Destruction, Benign or Premalignant Lesions - 1st Lesion	Destruction (e.g., Laser Surgery, Electro Surgery, Cryosurgery, Chemosurgery, Surgical Curettement), Premalignant Lesions (e.g.	y		y
	Destruction, Premalignant Lesions - 2-14 Lesions	Actinic Keratosis); First Lesion Destruction (e.g., Laser Surgery, Electro Surgery, Cryosurgery, Chemosurgery, Surgical Curettement), Premalignant Lesions (e.g.	y	-	-
17004	Destruction, Premalignant Lesions - 15 or More Lesions	Actinic Keratosis); Second through 14 Lesions Destruction (e.g., Laser Surgery, Electro Surgery, Cryosurgery, Chemosurgery, Surgical Curettement), Premalignant Lesions (e.g.	y		y
	Destruction, Benign Lesions - Up to 14 Lesions	Actinic Keratosis); 15 or More Lesions Destruction (e.g., Laser Surgery, Electro Surgery, Cryosurgery, Chemosurgery, Surgical Curettement), of Benign Lesions Other	~	*	~
	Destruction, Benign Lesions - 15 or More Lesions	Than Skin Tags or Cutaneous Vascular Proliferative Lesions; Up to 14 Lesions Destruction (e.g., Laser Surgery, Electro Surgery, Cryosurgery, Chemosurgery, Surgical Curettement), of Benign Lesions Other	<i>y</i>	y	<i>y</i>
	200.100.101, 201.1gt. 2001010 TO 01 MOTO 2001010	Than Skin Tags or Cutaneous Vascular Proliferative Lesions; 15 or More Lesions	•	•	•

CPT Code	Procedure	CPT/HCPCS Code Description	CMSP	PTH	стс
20550	Injection of Tendon Sheaths	Injection(s); Single Tendon Sheath, or Ligament, Aponeurosis(e.g., Plantar "Fascia")	V	V	~
20551	Injection of Tendon Sheaths	Injection(s); Single Tendon Sheath, or Ligament, Aponeurosis(e.g., Plantar "Fascia") - Single Tendon Origin/Insertion	<u> </u>	✓	V
20552	Injection of Trigger Points	Injection(s); Single or Multiple Trigger Point(s), 1 or 2 Muscle(s)		~	V
20553	Injection of Trigger Points	Injection(s); Single or Multiple Trigger Point(s), 3 or More Muscles		<u> </u>	Y
20600	Injection of Buse	Arthrocentesis, Aspiration and/or Injection, Small Joint or Burse (e.g., Fingers, Toes); without Ultrasound Guidance Arthrocentesis, Aspiration and/or Injection, Intermediate Joint or Bursa (e.g., Temporomandibular, Acromioclavicular, Wrist, Elbow		*	•
20605	Injection of Buse	or Ankle, Olecranon Bursa); without Ultrasound Guidance	✓	~	✓
20610	Injection of Buse	Arthrocentesis, Aspiration and/or Injection, Major Joint or Bursa (e.g., Shoulder, Hip Knee, Subacromial Bursa); without Ultrasound Guidance	✓	~	~
	Venipuncture	Collection of Venous Blood by Venipuncture	<u> </u>	V	V
	Venipuncture	Collection of Capillary Blood Specimen (e.g., Finger, Heel, Ear Stick)		~	~
45330	Sigmoidoscopy	Sigmoidoscopy, Flexible; Diagnostic, with or without Collection of Specimen(s) by Brushing or Washing		7	Y
45331	Sigmoidoscopy	Sigmoidoscopy, Flexible; with Biopsy, Single or Multiple		3	<u> </u>
45332	Sigmoidoscopy	Sigmoidoscopy, Flexible; with Removal of Foreign Body Sigmoidoscopy, Flexible; with Removal of Tumor(s), Polyp(s), or Other Lesion(s) By Hot Biopsy Forceps or Bipolar Cautery		-/	-/
45334	Sigmoidoscopy Sigmoidoscopy	Sigmoidoscopy, Flexible; with Control of Bleeding (e.g., Injection, Bipolar Cautery, Unipolar Cautery, Laser, Heater Probe, Stapler,		~	
	<u> </u>	Plasma Coagulator)		<i></i>	<i></i>
	Sigmoidoscopy	Sigmoidoscopy, Flexible; with Directed Submucosal Injection(s), Any Substance		y	y
45337 45338	Sigmoidoscopy	Sigmoidoscopy, Flexible; with Decompression of Volvulus, Any Method	<u> </u>	y	y
	Sigmoidoscopy Sigmoidoscopy	Sigmoidoscopy, Flexible; with Removal of Tumor(s), Polyp(s), or Other Lesion(s) by Snare Technique Sigmoidoscopy, Flexible; with Dilation by Balloon, 1 or More Strictures	<u> </u>	7	<u> </u>
	Sigmoidoscopy	Sigmoidoscopy, Flexible, with Dilation by Balloon, 1 of More Strictures Sigmoidoscopy, Flexible; with Endoscopic Ultrasound Examination		7	7
	Sigmoidoscopy	Sigmoidoscopy, Flexible; with Transendoscopic Ultrasound Guided Intramural or Transmural Fine Needle Aspiration/Biopsy(s)		-	Ž
	Sigmoidoscopy	Sigmoidoscopy, Flexible; with Ablation of Tumor(s), Polyp(s), or Other Lesion(s) (includes Pre- and Post-Dilation and Guide Wire	-	~	~
	Colonoscopy	Passage. When Performed) Colonoscopy, Flexible, Proximal to Splenic Flexure; Diagnostic, with or without Collection of Specimen(s) by Brushing or Washing,	4	V	~
45070	0-1	with or without Colon Decompression (Separate Procedure)			
45379 45380	Colonoscopy Colonoscopy	Colonoscopy, Flexible, Proximal to Splenic Flexure; with Removal of Foreign Body Colonoscopy, Flexible, Proximal to Splenic Flexure; with Biopsy, Single or Multiple		Y	Y
	Colonoscopy	Colonoscopy, Flexible, Proximal to Splenic Flexure; with Directed Submucosal Injection(s), Any Substance		7	7
		Colonoscopy, Flexible, Proximal to Splenic Flexure; with Control of Bleeding (e.g., Injection, Bipolar Cautery, Unipolar Cautery,		•	•
45382	Colonoscopy	Laser, Heater Probe, Stapler, Plasma Coagulator)	✓	~	✓
45384	Colonoscopy	Colonoscopy, Flexible, Proximal to Splenic Flexure; with Removal of Tumor(s), Polyp(s), or Other Lesion(s) by Hot Biopsy Forceps or Bipolar Cautery	Y	4	~
45385	Colonoscopy	Colonoscopy, Flexible, Proximal to Splenic Flexure; with Removal of Tumor(s), Polyp(s), or Other Lesion(s) by Snare Technique	<u> </u>	y	Y
45386 45388	Colonoscopy Colonoscopy	Colonoscopy, Flexible, Proximal to Splenic Flexure; with Dilation by Balloon, 1 or More Structures Colonoscopy, Flexible; with Ablation of Tumor(s), Polyp(s), or Other Lesion(s) (includes Pre- and Post-Dilation and Guide Wire		7	
		Passage, When Performed)		,	-
	Colonoscopy Colonoscopy	Colonoscopy, Flexible, Proximal to Splenic Flexure; with Endoscopic Ultrasound Examination Colonoscopy, Flexible, Proximal to Splenic Flexure; with Transendoscopic Ultrasound Guided intramural or Transmural Fine	<u> </u>	y	/
	Treatment of Minor Hemorrhoids	Needle Aspiration/Biopsy(s) Incision of Thrombosed Hemorrhoid, External	· /	V	/
	Treatment of Minor Hemorrhoids	Incision of Thrombosed Hemorrhoid, External	V	\	✓
	Impacted Ear Wax Removal	Removal Impacted Cerumen Requiring Instrumentation, Unilateral	~	~	✓
	X-Ray - Neck	Radiologic Examination; Neck, Soft Tissue	<u> </u>	V	V
	X-Ray - Chest	Radiologic Examination, Chest; Single View		~	4
	X-Ray - Chest	Radiologic Examination, Chest; 2 Views		<u> </u>	
	X-Ray - Ribs	Radiologic Examination, Ribs; Unilateral; 2 Views Radiologic Examination, Ribs; Unilateral; 2 Views; Including Posteroanterior Chest, Minimum of 3 Views		7	<u> </u>
	X-Ray - Ribs X-Ray - Ribs	Radiologic Examination, Ribs; Bilateral; 2 Views, including Posteroanterior Criest, winimum of 3 Views Radiologic Examination, Ribs; Bilateral; 3 Views		7	7
	X-Ray - Ribs	Radiologic Examination, Ribs; Bilateral; 3 Views; Including Posteroanterior Chest, Minimum of 4 Views		7	7
71250	Lung Cancer Screening	Computed Tomography, Thorax; without Contrast Material		<u> </u>	Ž
71271	Lung Cancer Screening Lung Cancer Screening	Computed Tomography, Thorax; Low Dose for Lung Cancer Screening, without Contrast Materials		Ż	<i></i>
	X-Ray - Spine	Radiologic Examination: Sprine, Single View, Specify Level	-	V	<i></i>
	X-Ray - Spine, Cervical	Radiologic Examination; Spine, Cervical; 2 or 3 Views	-	V	V
	X-Ray - Spine, Cervical	Radiologic Examination; Spine, Cervical; 4 or 5 Views	~	~	V
	X-Ray - Spine, Cervical	Radiologic Examination; Spine, Cervical; 6 or More Views	V	V	V
72070	X-Ray - Spine, Thoracic	Radiologic Examination, Spine; Thoracic, 2 Views	4	V	4
	X-Ray - Spine, Thoracic	Radiologic Examination, Spine; Thoracic, 3 Views	V	\	~
	X-Ray - Spine, Thoraculumbar	Radiologic Examination, Spine; Thoraculumbar Junction, Minimum of 2 Views.	~	~	~
	X-Ray - Spine, Thoracic	Radiologic Examination, Spine, Lumbosacral; 2 or 3 Views	V	~	V
	X-Ray - Spine, Lumbosacral	Radiologic Examination, Spine, Lumbosacral; Minimum of 4 Views	4	~	4
	X-Ray - Spine, Lumbosacral	Radiologic Examination, Spine, Lumbosacral; Complete, Including Bending Views, Minimum of 6 Views		~	V
	X-Ray - Pelvis	Radiologic Examination, Pelvis; 1 or 2 Views		Y	/
	X-Ray - Pelvis	Radiologic Examination, Pelvis; Complete; Minimum of 3 Views	<u> </u>	V	V
72220	X-Ray - Sacrum and Coccyx	Radiologic Examination, Sacrum and Coccyx, Minimum of 2 Views	V	V	✓

CPT Code	Procedure	CPT/HCPCS Code Description	CMSP	PTH	стс
73000	X-Ray - Clavicle	Radiologic Examination, Clavicle, Complete	V	V	V
73010	X-Ray - Scapula	Radiologic Examination, Scapula, Complete	V	~	V
73020 73030	X-Ray - Shoulder	Radiologic Examination, Shoulder, 1 View Radiologic Examination, Shoulder, Complete, 2 Views		7	y
73030	X-Ray - Shoulder X-Ray - Humerus	Radiologic Examination, Shoulder, Complete, 2 Views Radiologic Examination, Humerus, Minimum of 2 Views		7	
73070	X-Ray - Elbow	Radiologic Examination, Elbow, 2 Views	-	~	~
73080	X-Ray - Elbow	Radiologic Examination, Elbow, Complete, Minimum of 3 Views	V	~	~
73090	X-Ray - Forearm	Radiologic Examination, Forearm, 2 Views		~	V
73100	X-Ray - Wrist	Radiologic Examination, Wrist; 2 Views		7	-
	X-Ray - Wrist X-Ray - Hand	Radiologic Examination, Wrist; Complete; Minimum of 3 Views Radiologic Examination, Hand; 2 Views	<u> </u>	<u> </u>	y
	X-Ray - Hand	Radiologic Examination, Hand; Eviews Radiologic Examination, Hand; Minimum of 3 Views		-	Ž
	X-Ray - Fingers	Radiologic Examination, Fingers; Minimum of 2 Views	-	~	V
73501	X-Ray - Hip	Radiologic Examination, Hip, Unilateral, with Pelvis When Performed, 1 View	V	>	V
73502	X-Ray - Hip	Radiologic Examination, Hip, Unilateral, with Pelvis When Performed, 2-3 Views	V	\	V
	X-Ray - Hip	Radiologic Examination, Hip, Unilateral, with Pelvis When Performed, Minimum of 4 Views		\	\
73521 73522	X-Ray - Hip	Radiologic Examination, Hip, Bilateral, with Pelvis When Performed, 2 Views		<u> </u>	-
	X-Ray - Hip X-Ray - Hip	Radiologic Examination, Hip, Bilateral, with Pelvis When Performed, 3-4 Views Radiologic Examination. Hip, Bilateral, with Pelvis When Performed, Minimum of 5 Views		7	~
73551	X-Ray - Femur	Radiologic Examination, Femur, 1 View	7	V	<i></i>
73552	X-Ray - Femur	Radiologic Examination, Femur, Minimum of 2 Views	V	V	V
73560	X-Ray - Knee	Radiologic Examination, Knee, 1 or 2 Views	V	V	~
	X-Ray - Knee	Radiologic Examination, Knee, 3 Views	<u> </u>	V	V
	X-Ray - Knee	Radiologic Examination, Knee, 4 or More Views		<u> </u>	y
	X-Ray - Knee X-Ray - Tibia and Fibula	Radiologic Examination, Both Knees, Anteroposterior Radiologic Examination, Tibia and Fibula, 2 Views		y	Y
73600	X-Ray - Ankle	Radiologic Examination, Tibia and Fibria, 2 Views Radiologic Examination, Ankle, 2 Views		7	7
	X-Ray - Ankle	Industrial Control of the State	-	Ž	~
73620	X-Ray - Foot	Radiologic Examination, Foot, 2 Views	V	V	V
73630	X-Ray - Foot	Radiologic Examination, Complete Foot, Minimum of 3 Views	V	/	V
73650	X-Ray - Calcaneus	Radiologic Examination, Calcaneus, Minimum of 2 Views	<u> </u>	~	V
73660	X-Ray - Toe(s)	Radiologic Examination, Toe(s) Minimum of 2 Views		3	<u> </u>
74018 74019	X-Ray - Abdomen X-Ray - Abdomen	Radiologic Examination, Abdomen; Single View Radiologic Examination, Abdomen; 2 Views		<u> </u>	Y
	X-Ray - Abdomen	Radiologic Examination, Abdomen; 3 or More Views		7	<i>y</i>
74022	X-Ray - Abdomen	Radiologic Examination, Abdomen; Complete Acute Abdomen Series, Including Supine, Erect, and/or Decubitus Views, Single View Chest	4	V	V
74263	Colorectal Cancer	Computed Tomographic (CT) Colonography, Screening, Including Image Postprocessing	V	V	~
76536	Ultrasound, Head and Neck	Ultrasound, Soft Tissues of Head and Neck (e.g., Thyroid, Parathyroid, Parotid), Real Time with Image Documentation	V	/	V
76604	Ultrasound, Chest	Ultrasound, Chest (Includes Mediastinum), Real Time with Image Documentation	4	>	V
	Ultrasound, Chest	Limited, Only Once Per Breast, Per Session		\	\
76700 76705	Ultrasound, Abdomen and Retroperitoneum	Ultrasound, Abdominal, Real Time with Image Documentation; Complete		<u> </u>	-
76770	Ultrasound, Abdomen and Retroperitoneum Ultrasound, Abdomen and Retroperitoneum	Limited (e.g., Single organ, Quadrant, Follow-Up) Ultrasound, Retroperitoneal (e.g., Renal, Aorta, Nodes), Real Time with Image Documentation; Complete		7	
76775	Ultrasound, Abdomen and Retroperitoneum	United Limited	-	V	7
76800	Ultrasound, Spinal Canal	Ultrasound, Spinal Canal and Contents	4	V	V
	Ultrasound, Non-Obstetrical	Ultrasound, Transvaginal	V	V	~
	Ultrasound, Non-Obstetrical	Saline Infusion Sonohysterography(SIS), Including Color Flow Doppler, When Performed	✓	V	V
	Ultrasound, Non-Obstetrical	Ultrasound, Pelvic (Non-Obstetric), Real Time with Image Documentation; Complete		-	V
	Ultrasound, Non-Obstetrical	Limited or Follow Up (e.g., for Follicles)		7	Y
76870 76872	Ultrasound, Genitalia Ultrasound, Genitalia	Ultrasound, Scrotum and Contents Ultrasound, Transrectal		<u> </u>	7
76873	Ultrasound, Genitalia	Prostate Volume Study for Brachytherapy Treatment Planning (Separate Procedure)		7	~
76881	Ultrasound, Extremities; Complete	Ultrasound, Extremity, Nonvascular, Real-Time with Image Documentation; Complete	<u> </u>	V	V
76882	Ultrasound, Extremities; Limited	Ultrasound, Extremity, Nonvascular, Real-Time with Image Documentation; Limited, Anatomic Specific	V	V	V
77078	DXA Scan Osteoporosis	Computed Tomography, Bone Mineral Density Study, 1 or More Sites; Axial Skeleton (e.g., Hips, Pelvis, Spine)	V	V	V
77080	DXA Scan Osteoporosis	Dual-Energy X-Ray Absorptiometry (DXA), Bone Density Study, 1 or More Sites; Axial Skeleton (e.g., Hips, Pelvis, Spine)	✓	~	~
77081	DXA Scan Osteoporosis	Dual-Energy X-Ray Absorptiometry (DXA), Bone Density Study, 1 or More Sites; Appendicular Skeleton (Peripheral) (e.g., Radius, Wrist, Heel)	✓	~	~
	DXA Scan Osteoporosis	Dual-Energy X-Ray Absorptiometry (DXA), Bone Density Study, 1 or More Sites; Axial Skeleton (e.g., Hips, Pelvis, Spine), Including Vertebral Fracture Assessment	~	~	✓
77086	DXA Scan Osteoporosis	Vertebral Fracture Assessment Via Dual-Energy X-Ray Absorptiometry (DXA)	V	V	4
80048	Metabolic Panel Total CA	Basic Metabolic Panel: Calcium, Total (82310) Carbon Dioxide (Bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (Bun) (84520)	~	~	✓
80051	Electrolyte Panel	Electrolyte Panel: Carbon Dioxide (Bicarbonate) (82374) Chloride (82435) Potassium (84132) Sodium (84295)	✓	~	V

CPT Code	Procedure	CPT/HCPCS Code Description	CMSP	РТН	стс
	Comprehensive Metabolic Panel	Comprehensive Metabolic Panel: Albumin (82040) Bilirubin, Total (82247) Calcium, Total (82310) Carbon Dioxide (Bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, Alkaline (84075) Potassium (84132) Protein, Total (84155) Sodium (84295) Transferase, Alanine Amino (ALT) (SGPT) (84460) Transferase, Aspartate Amino (AST) (SGOT) (84450) Urea Nitrogen (Bun) (84520)	~	~	~
80061	Lipid Disorders in Adults	Lipid panel	V	>	~
80069	Renal Function Panel	Renal Function Panel: Albumin (82040) Calcium, Total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus Inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)	~	~	<
80074	Acute Hepatitis Panel	Acute Hepatitis Panel: Hepatitis A Antibody (HAAb), IgM Antibody (86709) Hepatitis B Core Antibody (HBcAb), IgM Antibody (86705) Hepatitis B Surface Antigen (HBsAg) (87340) Hepatitis C Antibody (86803)	~	~	~
80076	Hepatic Function Panel	Hepatic Function Panel: Albumin (82040) Bilirubin, Total (82247) Bilirubin, Direct (82248) Phosphatase, Alkaline (84075) Protein, Total (84155) Transferase, Alanine Amino (Alt) (Sgpt) (84460) Transferase, Aspartate Amino (Ast) (Sgot) (84450)	✓	~	~
81000	Urinalysis Non-Auto w/ Scope	Urinalysis, by Dip Stick or Tablet Reagent for Bilirubin, Glucose, Hemoglobin, Ketones, Leukocytes, Nitrite, Ph, Protein, Specific Gravity, Urobilinogen, Any Number of These Constituents; Non-Automated, with Microscopy	✓	✓	✓
81001	Urinalysis Auto w/ Scope	Urinalysis, by Dip Stick or Tablet Reagent for Bilirubin, Glucose, Hemoglobin, Ketones, Leukocytes, Nitrite, Ph, Protein, Specific Gravity, Urobilinogen, Any Number of These Constituents; Automated, with Microscopy	✓	✓	✓
81002	Urinalysis Non-Auto w/o Scope	Urinalysis, by Dip Stick or Tablet Reagent for Bilirubin, Glucose, Hemoglobin, Ketones, Leukocytes, Nitrite, Ph, Protein, Specific Gravity, Urobilinogen, Any Number of These Constituents; Non-Automated, without Microscopy	✓	✓	~
81003	Urinalysis Auto w/o Scope	Urinalysis, by Dip Stick or Tablet Reagent for Bilirubin, Glucose, Hemoglobin, Ketones, Leukocytes, Nitrite, Ph, Protein, Specific Gravity, Urobilinogen, Any Number of These Constituents: Automated, without Microscopy	✓	~	✓
81005	Urinalysis; Qual or Semi-Quan	Urinalysis; Qualitative or Semiquantitative, Except Immunoassays	V	V	~
81015	Microscopic Exam of Urine	Urinalysis; Microscopic Only	V	~	V
		Urine Pregnancy Test, by Visual Color Comparison Methods	V	~	~
	Assay of Serum Albumin	Albumin; Serum, Plasma or Whole Blood	V	>	~
	Assay of Serum Albumin	Albumin; Urine (e.g., Microalbumin), Quantitative	<u> </u>	/	V
	Assay of Serum Amylase	Amylase	<u> </u>	✓	✓
	Bilirubin Total	Bilirubin; Total		-	
82248	Bilirubin Direct	Bilirubin; Direct		✓	✓
	Occult Blood - Colorectal Cancer Screening	Blood, Occult, by Peroxidase Activity (e.g., Guaiac), Qualitative; Feces, Consecutive Collected Specimens with Single Determination, for Colorectal Neoplasm Screening	Y	✓	~
	Fecal Hemoglobin - Colorectal Cancer Screening	Blood, Occult, by Fecal Hemoglobin Determination by Immunoassay, Qualitative, Feces, 1-3 Simultaneous Determinations		y	~
	Vitamin D 25 Hydroxy	Vitamin D; 25 Hydroxy, Includes Fraction(s), if Performed		y	\
	Assay of Calcium	Calcium; Total	<u> </u>	· /	<u> </u>
82330 82465	Assay of Calcium Lipid Disorders in Adults	Calcium; Ionized Cholesterol, Serum or Whole Blood, Total		7	
	Creatinine	Creatinine; Other Source		<u> </u>	
82607	RIA Assay for Vitamin B-12	Creatinine, Orier Source (Cvanocobalamin (Vitamin B-12):		7	
	B-12 Binding Capacity	Cyanocobalamin (Vitamin B-12); Unsaturated Binding Capacity		<u> </u>	-
	Vit D 1 25-Dihydroxy	Vitamin D: 1, 25 Dihydroxy, Includes Fraction(s), if Performed	<u> </u>	Ż	Ż
		Ferritin	<u> </u>	J	<u> </u>
	Assay of Folic Acid Serum	Folic Acid; Serum	7	<i>y</i>	<i>y</i>
	Type 2 Diabetes Mellitus	Glucose; Quantitative, Blood (Except Reagent Strip)	<u> </u>	V	V
	Type 2 Diabetes Mellitus	Glucose; Blood, Reagent Strip	V	V	V
82950	Glucose Test	Glucose; Post Glucose Dose (Includes Glucose)	4	~	~
	Glucose Tolerance Test (GTT)	Glucose; Tolerance Test (GTT), 3 Specimens (Includes Glucose)	4	>	V
	Glucose Blood Test	Glucose, Blood by Glucose Monitoring Device(s) Cleared by the FDA Specifically for Home Use	V	>	~
		Helicobacter Pylori; Breath Test Analysis for Urease Activity, Non-Radioactive Isotope (e.g., C-13)		>	~
	Hemoglobin; Glycosylated (A1C)	High Performance Liquid Chromatography and Ion Exchange Chromatography.	V	V	√
	Assay of Iron	Iron	<u> </u>	Y	4
83550		Iron Binding Capacity	<u> </u>	Y	<u> </u>
83655 83690	Assay of Lead Assay of Lipase	Lead Lipase		y	7
83718	Assay of Lipase Lipid Disorders in Adults	Lipase Lipoprotein, Direct Measurement; High Density Cholesterol (HDL Cholesterol)	-	7	<u> </u>
	Lipid Disorders in Adults	Lipoprotein, Direct Measurement, High Density Cholestero (HDL Cholestero) Lipoprotein, Direct Measurement; VLDL Cholestero		<u> </u>	<u> </u>
	Lipid Disorders in Adults	Lipoprotein, Direct Measurement; LDL Cholesterol	- V	7	-
	Assay of Magnesium	Magnesium Magnesium	7	V	-
	Assay of Metanephrines	Metanephrines Metanephrines	V	~	~
	Assay of Natriuretic Peptide	Natriuretic Peptide	V	V	V
83930	Assay of Blood Osmolality	Osmolality; Blood	4	✓	V
83935	Assay of Urine Osmolality	Osmolality; Urine	4	V	~
	RIA Assay of Parathormone	Parathormone (Parathyroid Hormone)	V	~	~
	Assay Ph Body Fluid, Not Otherwise Specified	Ph; Body Fluid, Not Otherwise Specified	V	~	~
	Assay Alkaline Phosphatase	Phosphatase, Alkaline	<u> </u>	~	~
	Assay of Phosphorus	Phosphorus inorganic (Phosphate)			V
		Potassium; Serum, Plasma or Whole Blood		~	~
84134	Assay of Prealbumin	Prealbumin	V	✓	V

CPT Code	Procedure	CPT/HCPCS Code Description	CMSP	PTH	стс
	Assay of Psa Complexed	Prostate Specific Antigen (PSA); Complexed (Direct Measurement)		V	V
84153	Assay of Psa Total	Prostate Specific Antigen (PSA); Total	4	\	V
	Assay of Psa Free	Prostate Specific Antigen (PSA); Free	4	\	V
	Assay of Protein Serum	Protein, Total, Except by Refractometry; Serum, Plasma or Whole Blood		-	-
	Assay of Protein Urine Assay of Vitamin B-6	Protein, Total, Except by Refractometry; Urine Pyridoxal Phosphate (Vitamin B-6)	<u> </u>	Y	Y
	Assay of Vitamin B-6 Assay of Serum Sodium	Sodium; Serum, Plasma or Whole Blood	-	7	-
	Assay of Total Testosterone	Geoman, German, Fissing of Whole Blood Testosterone: Total	7	V	V
	Assay of Vitamin B-1	Thiamine (Vitamin B-1)	V	V	V
	Assay of Thyroglobulin	Thyroglobulin	4	\	V
	Assay of Total Thyroxine	Thyroxine; Total	√	~	V
	Assay of Free Thyroxine	Thyroxine; Free		7	<u> </u>
	Assay Thyroid Stim Hormone Assay of Vitamin E	Thyroid Stimulating Hormone (TSH) Tocopherol Alpha (Vitamin E)		<u> </u>	y
	Lipid Disorders in Adults	Triglycerides		7	<u> </u>
	Assay of Thyroid (T3 Or T4)	Thyroid Hormone (T3 or T4) Uptake or Thyroid Hormone Binding Ratio (THBR)		<u> </u>	<u> </u>
	Assay of Troponin Quant	Troponin, Quantitative	7	V	-
	Assay of Urea Nitrogen	Urea Nitrogen; Quantitative	V	V	V
84590	Assay of Vitamin A	Vitamin A	V	~	V
	Assay of Zinc	Zinc	V	V	V
	Bleeding Time Test	Bleeding Time	<u> </u>	~	V
	BL Smear w/ Diff WBC Count	Blood Count; Blood Smear, Microscopic Examination with Manual Differential WBC Count		~	V
	Hematocrit	Blood Count; Hematocrit (HCT)		<u> </u>	y
85018 85025	Hemoglobin, Colorimetric Complete CBC w/ Auto Diff WBC	Blood Count; Hemoglobin (HGB) Blood Count; Complete (CBC), Automated (HGB, HCT, RBC, WBC and Platelet Count) and Automated Differential WBC Count	<u> </u>	7	7
85027	Complete CBC Automated	Blood Count; Complete (CBC), Automated (HGB, HCT, RBC, WBC and Prateier Count) and Automated Directional WBC Count Blood Count; Complete (CBC), Automated (HGB, HCT, RBC, WBC and Platelet Count)	<u> </u>	7	<u> </u>
85041	Red Blood Cell (RBC) Count	Blood Count; Red Blood Cell (RBC), Automated (195, TICT; NBC, WBC and Frateric Count)		<u> </u>	<u> </u>
85044	Reticulocyte Count	Blood Count; Reticulocyte, Manual	7	V	-
85045	Reticutocyte Count	Blood Count; Reticulocyte, Automated	V	V	V
85049	Automated Platelet Count	Blood Count; Platelet, Automated	V	/	/
	Blood Smear Interpretation	Blood Smear, Peripheral, Interpretation by Physician with Written Report	V	>	V
	Prothrombin Time	Prothrombin Time	<u> </u>	\	V
	RBC Sed Rate Nonautomated	Sedimentation Rate, Erythrocyte; Non-Automated		-	~
	RBC Sed Rate Automated	Sedimentation Rate, Erythrocyte; Automated	<u> </u>	<u> </u>	<u> </u>
	Thromboplastin Time Partial C-Reactive Protein	Thromboplastin Time, Partial (PTT); Plasma or Whole Blood C-Reactive Protein	<u> </u>	7	<u> </u>
00140	C-Reactive Flotelli	Immunoassay Antibody Testing for Severe Acute Respiratory Syndrome Coronavirus 2 Using a Single-Step Method Such as a		-	
		Reagent Strip. The Test May Be Requested as Single-Step Qualitative or Semi-Quantitative: Infectious Agent Specificity May Also			
00000	Immunoassay for Infectious Agent Antibody(les), Qualitative or Semiquantitative, Single Step	include Terminology Such as Sars-Cov-2, Coronavirus Disease, or COVID-19. In One Method, a Reagent Strip, Pre-Coated with	V		~
86328	Method (E.G., Reagent Strip); Severe Acute Respiratory Syndrome Coronavirus 2 (Sars-Cov-2)	Appropriate IgM and IgG Antibodies, is Taken From Its Sealed Container Following Collection of Blood or Serum From the Patient.	•	•	~
	(Coronavirus Disease [COVID-19])	The Sample is Placed in the Specimen Well and Diluent is Added. Once the Specimen and Reagents React with the Strip's Test			
		Area, the Specimen is Read and Results are Interpreted and Reported.			
	TB Intradermal Test	Skin Test; Tuberculosis, Intradermal	<u> </u>	<u> </u>	<u> </u>
	Syphilis - Sexually Transmitted Infections (STI) Screening Syphilis - Sexually Transmitted Infections (STI) Screening	Syphilis Test, Non-Treponemal Antibody; Qualitative (e.g., VDRL, RPR, ART) Syphilis Test, Quantitative (e.g., VDRL, RPR)	<u> </u>	y	·/
	Chlamydia - Sexually Transmitted Infections (STI) Screening	Syphilis Fest, Quantitative (e.g., VDRL, RPR) Chlamydia Antibody		7	y
86632	Chlamydia - Sexually Transmitted Infections (STI) Screening Chlamydia - Sexually Transmitted Infections (STI) Screening	Chlamydia IdM		-	<u> </u>
	Antibody, CMV	Antibody: Cytomegalovirus (CMV)	<u> </u>	V	V
86645	CMV Antibody IgM	Antibody; Cytomegalovirus (CMV), IgM	4	\	V
86677	Helicobacter Pylori	Antibody; Helicobacter Pylori	V	~	V
86689	HIV Antibody Screening - Sexually Transmitted Infections (Sti) Screening	Antibody; HTLV or HIV Antibody, Confirmatory Test (e.g., Western Blot)	4	V	V
86695	Herpes Simplex Type 1 Test	Antibody; Herpes Simplex, Type 1		V	V
	Herpes Simplex Type 2 Test	Antibody; Herpes Simplex, Type 2		- - - - - -	<u> </u>
	HIV-1 Screening HIV-2 Screening	Antibody; HIV-1 Antibody; HIV-2	<u> </u>	-	<u> </u>
	HIV-1 and HIV-2 Screening	Antibody; HIV-1 and HIV-2, Single Assay	- y -	<u> </u>	<u> </u>
	Hepatitis B Virus Screening	Hepatitis B Core Antibody (HBCAb); Total		V	<u> </u>
	Hep B Core Antibody IqM	Hepatitis B Core Antibody (HBCAb); IdM Antibody		~	—
		Hepatitis B Surface Antibody (HBSAb)	V	V	V
	Hepatitis B Virus Screening	Hepatitis Be Antibody (HBEAb)	4	\	V
	Hepatitis A Total Antibody	HepatitisA Antibody (HAAb)	V	~	V
86709	Hepatitis A IgM Antibody	HepatitisA Antibody (HAAb), IgM Antibody		-	V
86710	Influenza Virus Antibody	Antibody; Influenza Virus		V	-
86762	Rubella Antibody Rubeola Antibody	Antibody; Rubella Antibody: Rubeola		<u> </u>	<u> </u>
60/05	Rubeola Alitibudy	Antibouy, Nuberia	~	~	~

CPT Code	Procedure	CPT/HCPCS Code Description	CMSP	PTH	стс
86769	Antibody; Severe Acute Respiratory Syndrome Coronavirus 2 (Sars-Cov-2) (Coronavirus Disease [COVID-19])	Testing to Identify the Presence of Antibodies to the Sars-Cov-2 Virus. Infectious Agent Specificity May Also Include Terminology Such as Severe Acute Respiratory Syndrome Coronavirus 2, Coronavirus Disease, or COVID-19. In One Method, Following Dilution in Buffer of the Plasma or Serum Sample, a Measured Portion of the Diluted Sample and Controls are Added to a Sample Plate. After Incubation and Washing, Appropriate IgG and IgM Antibodies are Added and Incubated. It is Combined with a Substrate, Incubated, and Read Immediately.	~	~	~
	Treponema Pallidum	Antibody; Treponema Pallidum	4	>	4
	Varicella-Zoster Antibody	Antibody; Varicella-Zoster	<u> </u>	~	✓
	Virus Antibody, Not Elsewhere Specified	Antibody; Virus, Not Elsewhere Specified	<u> </u>	V	√
	Hepatitis C Virus Screening	Hepatitis C Antibody		~	V
86880	Coombs Test, Direct	Antihuman Globulin Test (Coombs Test); Direct, Each Antiserum		Y	Y
	Blood Typing Serologic ABO	Blood Typing, Serologic; ABO	<u> </u>	· /	· /
	Blood Typing Serologic Rh(D) Blood Type Antigen Donor, Each	Blood Typing, Serologic; RH(D) Blood Typing, Serologic; Antigen Testing of Donor Blood Using Reagent Serum, Each Antigen Test	- y -	<u> </u>	7
		Culture, Bacterial; Blood, Aerobic, with Isolation and Presumptive Identification of Isolates (Includes Anaerobic Culture, If	•	· ·	· ·
87040	Blood Culture for Bacteria	Appropriate)	✓	✓	✓
87045	Feces Culture Aerobic Bacteria	Culture, Bacterial; Stool, Aerobic, with Isolation and Preliminary Examination (e.g., KIA, LIA), Salmonella and Shigella Species	J	_	
	Stool Culture Aerobic Bacteria, Each	Culture, Bacterial, Stool, Aerobic, Additional Pathogens, Isolation and Presumptive Identification of Isolates, Each Plate		<u> </u>	Ż
	·	Culture, Bacterial; Any Other Source Except Urine, Blood or Stool, Aerobic, with Isolation and Presumptive Identification of	<u> </u>	·	·
87070	Culture, Other Specimen Aerobic	Isolates	✓	~	~
87075	Culture Bacteria Except Blood	Culture, Bacterial; Any Source, Except Blood, Anaerobic with Isolation and Presumptive Identification of Isolates	V	V	V
	Culture Anaerobe Identification, Each	Culture, Bacterial; Anaerobic Isolate, Additional Methods Required for Definitive Identification, Each Isolate	7	<i>y</i>	1
	Culture Aerobic Identification	Culture, Bacterial: Aerobic Isolate, Additional Methods Required for Definitive Identification, Each Isolate	V	V	V
87081	Culture Screen Only	Culture, Presumptive, Pathogenic Organisms, Screening Only	V	V	V
	Urine Culture/Colony Count	Culture, Bacterial; Quantitative Colony Count, Urine	V	V	V
87088	Urine Bacteria Culture	Culture, Bacterial; with Isolation and Presumptive Identification of Each Isolate, Urine	4	~	V
87106	Fungi Identification Yeast	Culture, Fungi, Definitive Identification, Each Organism; Yeast	V	~	V
87110	Chlamydia and Gonorrhea	Culture, Chlamydia, Any Source	V	~	~
87205	Smear Gram Stain	Smear, Primary Source with Interpretation; Gram or Giemsa Stain for Bacteria, Fungi, or Cell Types	V	~	V
87270	Chlamydia and Gonorrhea	Infectious Agent Antigen Detection by Immunofluorescent Technique	V	~	V
87275	Influenza B Ag	Infectious Agent Antigen Detection by Immunofluorescent Technique; Influenza B Virus	4	>	4
87276	Influenza A Ag	Infectious Agent Antigen Detection by Immunofluorescent Technique; Influenza A Virus	4	>	4
87320	Chlamydia and Gonorrhea	Infectious Agent Antigen Detection by Enzyme Immunoassay Technique, Qualitative or Semiquantitative, Multiple-Step Method	✓	~	✓
87340	Hepatitis B Virus Screening	Infectious Agent Antigen Detection by Enzyme Immunoassay Technique, Qualitative or Semiquantitative, Multiple-Step Method; HepatitisB Surface Antigen (Hbsaq)	~	✓	~
87389	HIV-1 Ag w/ HIV-1 & HIV-2 Ab	Infectious Agent Antigen Detection by Immunoassay Technique, (e.g., Enzyme Immunoassay [EIA], Enzyme-Linked Immunosorbent Assay [ELISA], Immunochemiluminometric Assay [IMCA]) Qualitative or Semiquantitative, Multiple-Step Method; HIV-1 Antiqen(s), with HIV-1 and HIV-2 Antibodies, Single Result	~	~	~
87390	HIV Screening	Infectious Agent Antigen Detection by Enzyme Immunoassay Technique, Qualitative or Semiquantitative, Multiple-Step Method;	~	~	~
87391	HIV Screening	Infectious Agent Antigen Detection by Enzyme Immunoassay Technique, Qualitative or Semiquantitative, Multiple-Step Method; HIV-2	~	~	~
87400	Influenza A/B Ag	Infectious Agent Antigen Detection by Immunoassay Technique, (e.g., Enzyme Immunoassay [EIA], Enzyme-Linked Immunosorbent Assay [Elisa], Immunochemiluminometric Assay [IMCA]) Qualitative or Semiquantitative, Multiple-Step Method; Influenza. A or B. Each	~	~	~
87430	Strep A Ag	Infectious Agent Antigen Detection by Immunoassay Technique, (e.g., Enzyme Immunoassay [EIA], Enzyme-Linked Immunosorbent Assay [Elisa], Immunochemiluminometric Assay [IMCA]) Qualitative or Semiquantitative, Multiple-Step Method; Strentococcus, Group A	~	~	~
87491	Chlamydia and Gonorrhea	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Amplified Probe Technique	V	~	~
	Chlamydia and Gonorrhea	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Quantification	V	V	V
	Gardner Vag DNA, Direct Probe	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Gardnerella Vaginalis, Direct Probe Technique	V	V	V
	Gardner Vag DNA, Quant	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Gardnerella Vaginalis, Quantification	4	~	4
	Hepatitis B DNA, Amp Probe	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Hepatitis B Virus, Amplified Probe Technique	4	~	4
87517	Hepatitis B DNA, Quant	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Hepatitis B Virus, Quantification	V	~	V
87521	Hepatitis C Probe & Reverse Transcription	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Hepatitis C, Amplified Probe Technique, Includes Reverse Transcription When Performed	~	>	~
87522	Hepatitis C RNA, Quant	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Hepatitis C, Quantification, Includes Reverse Transcription When Performed	~	~	~
87529	HSV DNA, Amplified Probe	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Herpes Simplex Virus, Amplified Probe Technique	V	~	~
87535	HIV-1 Probe & Reverse Transcription	Infectious Agent Detection by Nucleic Acid (DNA or RNA); HIV-1, Amplified Probe Technique, Includes Reverse Transcription When Performed	✓	~	~
87590	Chlamydia and Gonorrhea	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Neisseria Gonorrhoeae, Direct Probe Technique	4	V	4
87591	Chlamydia and Gonorrhea	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Neisseria Gonorrhoeae, Amplified Probe Technique	<u> </u>	~	V
87592	Chlamydia and Gonorrhea	Neisseria Gonorrhea, Quantification	V	V	V
87623	HPV DNA Testing for Women Ages 30 or Older	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Papillomavirus, Human, Quantification	4	V	4
87624	HPV High-Risk Types	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Human Papillomavirus (HPV), High-Risk Types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)	V	y	V

CPT Code	Procedure	CPT/HCPCS Code Description	CMSP	PTH	СТС
87635	Infectious Agent Detection by Nucleic Acid (DNA or RNA)	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Severe Acute Respiratory Syndrome Coronavirus 2 (Sars-Cov-2) (Coronavirus Disease [COVID-19]), Amplified Probe Technique	~	~	~
87660	Trichomonas Vagininalis, Direct Probe	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Trichomonas Vaginalis, Direct Probe Technique	>	~	~
87661	Trichomonas Vaginalis, Amplified Probe	Infectious Agent Detection by Nucleic Acid (DNA or RNA); Trichomonas Vaginalis, Amplified Probe Technique	>	~	~
87801	Chlamydia and Gonorrhea	Infectious Agent Detection by DNA or RNA, Direct Probe Technique	✓	✓	✓
87810	Chlamydia and Gonorrhea	Chlamydia Antigen Detection by Immunoassay with Direct Optical Observation	~	~	✓
87850	Chlamydia and Gonorrhea	Infectious Agent Antigen Detection by Immunoassay with Direct Optical Observation; Neisseria Gonorrhoeae	✓	~	✓
90471	Adult Immunizations - Administration	Immunization Administration (includes Percutaneous, Intradermal, Subcutaneous, or Intramuscular injections); 1 Vaccine (Single or Combination Vaccine/Toxoid)	~	✓	~
90472	Adult Immunizations - Administration	Immunization Administration (includes Percutaneous, Intradermal, Subcutaneous, or Intramuscular injections); Each Additional Vaccine (Single or Combination Vaccine/Toxoid) (List Separately in Addition to Code for Primary Procedure)	>	~	~
90473	Adult Immunizations - Administration	Immunization Administration by Intranasal or Oral Route; 1 Vaccine (Single or Combination Vaccine/Toxoid)	✓	~	✓
90474	Adult Immunizations - Administration	Immunization Administration by Intranasal or Oral Route; Each Additional Vaccine (Single or Combination Vaccine/Toxoid) (List Separately in Addition to Code for Primary Procedure)	>	~	~
90581	Adult Immunizations - Anthrax	Anthrax Vaccine, for Subcutaneous or Intramuscular	>	~	/
90585	Adult Immunizations - BCG	Bacillus Calmette-Guerin Vaccine (BCG) for Tuberculosis, Live, for Percutaneous Use	~	✓	✓
	Adult Immunizations - BCG	Bacillus Calmette-Guerin Vaccine (BCG) for Bladder Cancer, Live, for Intravesical Use	~	✓	✓
90620	Adult Immunizations - Meningococcal	Meningococcal Recombinant Protein and Outer Membrane Vesicle Vaccine, Serogroup B, 2 Dose Schedule, for Intramuscular	>	~	~
90621	Adult Immunizations - Meningococcal	Meningococcal Recombinant Lipoprotein Vaccine, Serogroup B, 3 Dose Schedule, for Intramuscular Use	✓	~	✓
90630	Adult Immunizations - Influenza	Influenza Virus Vaccine, Quadrivalent (IIV4), Split Virus, Preservative Free, for Intradermal Use	✓	✓	/
90632	Adult Immunizations - Hepatitis A	Hepatitis A Vaccine, Adult Dosage, for Intramuscular Use	~	~	/
90636	Adult Immunizations - Hepatitis A & B	Hepatitis A and Hepatitis B Vaccine (Hep A-Hep B), Adult Dosage, for Intramuscular Use	>	~	~
	Adult Immunizations - HPV: Ages 9-26	Human Papilloma Virus (HPV) Vaccine, Types 6, 11, 16, 18 (Quadrivalent), 3 Dose Schedule, for Intramuscular Use	>	✓	~
90650	Adult Immunizations - HPV: Ages 9-26	Human Papilloma Virus (HPV) Vaccine, Types 16, 18, Bivalent, 3 Dose Schedule, for Intramuscular Use	>	✓	~
90651	Adult Immunizations - HPV: Ages 9-26	Human Papillomavirus Vaccine Types 6, 11, 16, 18, 31, 33, 45, 52, 58, Nonavalent (HPV), 3 Dose Schedule, for Intramuscular Use	>	~	~
90653	Adult Immunizations - Influenza	Influenza Vaccine, Inactivated, Subunit, Adjuvanted, for Intramuscular Use	~	~	V
90654	Adult Immunizations - Influenza	Influenza Virus Vaccine, Split Virus, Preservative-Free, for Intradermal Use	V	V	V
90655	Adult Immunizations - Influenza	Influenza Virus Vaccine, Split Virus, Preservative-Free, 0.25 ml Dosage, for Intramuscular Use	/	V	~
90656	Adult Immunizations - Influenza	Influenza Virus Vaccine, Split Virus, Preservative-Free, When Administered to Individuals 3 Years and Older, for Intramuscular Use	~	~	~
90658	Adult Immunizations - Influenza	Influenza Virus Vaccine, Split Virus, When Administered to individuals 3 Years of Age and Older, for Intramuscular Use	V	V	V
90660	Adult Immunizations - Influenza	Influenza Virus Vaccine, Live, for Intranasal Use	V	V	V
90661	Adult Immunizations - Influenza	Influenza Virus Vaccine, Derived From Cell Cultures, Subunit, Preservative and Antibiotic Free, for Intramuscular Use	V	V	V
90662	Adult Immunizations - Influenza	Influenza Virus Vaccine, Split Virus, Preservative Free, Enhanced Immunogenicity Via Increased Antigen Content, for Intramuscular Use	~	~	~
90670	Adult Immunizations - Pneumococcal (Polysaccharide)	Pneumococcal Conjugate Vaccine, 13 Valent, for Intramuscular Use	V	V	V
90672		Influenza Virus Vaccine, Quadrivalent, Live, for Intranasal Use	V	V	V
90673	Adult Immunizations - Influenza	Influenza Virus Vaccine, Trivalent, Derived From Recombinant DNA (RIV3), Hemagglutinin (HA) Protein Only, Preservative and Antibiotic Free, for Intramuscular Use	~	~	~
90675	Adult Immunizations - Rabies	Rabies Vaccine, for Intramuscular Use	V	J	J
90676	Adult Immunizations - Rabies	Rabies Vaccine, for Intradermal Use	J	J	J
90686	Adult Immunizations - Influenza	Influenza Virus Vaccine, Quadrivalent, Split Virus, Preservative Free, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use	4	V	~
90688	Adult Immunizations - Influenza	Influenza Virus Vaccine, Quadrivalent, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use	~	~	~
90690	Adult Immunizations - Typhoid	Typhoid Vaccine, Live, Oral	V	V	V
90691	Adult Immunizations - Typhoid	Typhoid Vaccine, VI Capsular Polysaccharide (VICPS), for Intramuscular Use	V	V	V
90697	Adult Immunizations - DTP	Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine, Inactivated Poliovirus Vaccine, Haemophilus Influenza Type B Prp-Omp Conjugate Vaccine, and Hepatitis B Vaccine (DTaP-IPV-HIB-HepB), for Intramuscular Use	~	~	~
90698	Adult Immunizations - DTP	Diphtheria, Tetanus Toxoids, and Acellular Pertussis Vaccine, Haemophilus Influenza Type B, and Poliovirus Vaccine, Inactivated (DTaP-HIB-Ipv), for Intramuscular Use	~	~	~
90707	Adult Immunizations - MMR (Measles, Mumps, Rubella)	Measles, Mumps and Rubella Virus Vaccine (MMR), Live, for Subcutaneous Use	✓	✓	✓
90710	Adult Immunizations - MMRV (Measles, Mumps, Rubella, and Varicella)	Measles, Mumps, Rubella, and Varicella Vaccine (MMRV), Live, for Subcutaneous Use	J	J	J
90714	Adult Immunizations - DTP	Tetanus and Diphtheria Toxoids (TD) Adsorbed, Preservative Free, When Administered to Individuals 7 Years or Older, for Intramuscular Use	~	V	~
90715	Adult Immunizations - DTP	Tetanus, Diphtheria Toxoids and Acellular Pertussis Vaccine (TDaP), When Administered to Individuals 7 Years or Older, for Intramuscular Use	~	✓	~
90716	Adult Immunizations - Varicella	Varicella Virus Vaccine, Live, for Subcutaneous Use	<i>y</i>	V	V
	Adult Immunizations - Validelia Adult Immunizations - Yellow Fever	Validena virus vaccine, Live, for Subcutaneous Use Yellow Fever Vaccine, Live, for Subcutaneous Use	-	7	7
		Tellow rever vaccine, Live, Ind Subcutatives See Diphtheria, Tetanus Toxoids, and Acellular Pertussis Vaccine and Haemophilus Influenza B Vaccine (DTaP-HIB), for	•		
90721	Adult Immunizations - DTP	Intramuscular Use	~	~	~
90723	Adult Immunizations - DTP	Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine, Hepatitis B, and Poliovirus Vaccine, Inactivated (DTaP-HepB-IPV), for Intramuscular Use	~	✓	~
90732	Adult Immunizations - Pneumococcal (Polysaccharide)	Pneumococcal Polysaccharide Vaccine, 23-Valent, Adult or Immunosuppressed Patient Dosage, When Administered to Individuals 2 Years or Older, for Subcutaneous or Intramuscular Use	~	~	~

90734 Adı 90736 Adı 90738 Adı 90739 Adı 90740 Adı 90746 Adı 90747 Adı 90748 Adı	dult Immunizations - Meningococcal dult Immunizations - Meningococcal dult Immunizations - Zoster dult Immunizations - Japanese Encephalitis dult Immunizations - Hepatitis B	Meningococcal Polysaccharide Vaccine (Any Group(s)), for Subcutaneous Use Meningococcal Conjugate Vaccine, Serogroups A, C, Y and W-135 (Tetravalent), for Intramuscular Use Zoster (Shingles) Vaccine, Live, for Subcutaneous Injection Japanese EncephalitisVirus Vaccine, Inactivated, for Intramuscular Use Hepatitis B Vaccine, Adult Dosage (2 Dose Schedule), for Intramuscular Use	Y Y Y	Y	V
90736 Add 90738 Add 90739 Add 90740 Add 90746 Add 90747 Add 90748 Add	dult Immunizations - Zoster Jult Immunizations - Japanese Encephalitis dult Immunizations - Hepatitis B Jult Immunizations - Hepatitis B Jult Immunizations - Hepatitis B Jult Immunizations - Hepatitis B	Zoster (Shingles) Vaccine, Live, for Subcutaneous Injection Japanese EncephalitisVirus Vaccine, Inactivated, for Intramuscular Use Hepatitis B Vaccine, Adult Dosage (2 Dose Schedule), for Intramuscular Use		^	_
90738 Adi 90739 Adi 90740 Adi 90746 Adi 90747 Adi 90748 Adi	dult Immunizations - Japanese Encephalitis Jult Immunizations - Hepatitis B Jult Immunizations - Hepatitis B Jult Immunizations - Hepatitis B	Japanese EncephalitisVirus Vaccine, Inactivated, for Intramuscular Use Hepatitis B Vaccine, Adult Dosage (2 Dose Schedule), for Intramuscular Use	✓		✓
90739 Add 90740 Add 90746 Add 90747 Add 90748 Add	dult Immunizations - Hepatitis B dult Immunizations - Hepatitis B dult Immunizations - Hepatitis B	Hepatitis B Vaccine, Adult Dosage (2 Dose Schedule), for Intramuscular Use	J	<u> </u>	y
90740 Add 90746 Add 90747 Add 90748 Add	dult Immunizations - Hepatitis B dult Immunizations - Hepatitis B			<u> </u>	<u> </u>
90746 Adi 90747 Adi 90748 Adi	dult Immunizations - Hepatitis B	Hepatitis B Vaccine, Dialysisor Immunosuppressed Patient Dosage (3 Does Schedule), for Intramuscular Use		<u> </u>	<i>y</i>
90748 Adı	dult leasure imptions. I longitie D	Hepatitis B Vaccine, Adult Dosage, for Intramuscular Use	V	V	V
-		Hepatitis B Vaccine, Dialysisor Immunosuppressed Patient Dosage (4 Dose Schedule), for Intramuscular Use		~	Y
90832" Psy	dult Immunizations - Hepatitis B	Hepatitis B and Haemophilus influenza B Vaccine (Hep- B-Hib), for Intramuscular Use		V	V
	sychotherapy	Psychotherapy, 30 Minutes with Patient	✓	V	V
	sychotherapy	Psychotherapy, 60 Minutes with Patient	V	~	~
90839* Psy	sychotherapy	Psychotherapy for Crises, First 60 Minutes	~	✓	✓
90840* Psy	sychotherapy	Psychotherapy for Crises, Each Additional 30 Minutes	✓	✓	✓
90846* Fai	amily Psychotherapy	Family Psychotherapy (without the Patient Present), 50 Minutes	✓	<	~
90847* Fai	amily Psychotherapy	Family Psychotherapy (with the Patient Present), 50 Minutes	V	~	~
90849* Mu	ultiple-Family Group Therapy	Multiple-Family Group Psychotherapy	V	~	✓
	roup Psychotherapy	Group Psychotherapy (Other Than of a Multiple-Family Group)	<u> </u>	V	V
	ectrocardiogram (EKG)	Electrocardiogram, Routine ECG with at Least 12 Leads; with Interpretation and Report			<u> </u>
	ectrocardiogram (EKG); Tracing Only & No Interpretation/Report	Electrocardiogram, Routine ECG with at Least 12 Leads; with Interpretation and Report; Tracing Only, without Interpretation and	<u> </u>	<i>y</i>	V
		Report		•	Ť
	ectrocardiogram (EKG); Interpretation/Report	Interpretation and Report Only		<u> </u>	V
	ectrocardiogram (EKG); Rhythm ECG ectrocardiogram (EKG); Rhythm ECG; Tracing Only & No Interpretation/Report	Rhythm ECG, 1-3 Leads; with Interpretation and Report Tracing Only, without Interpretation and Report		y	<u> </u>
	ectrocardiogram (EKG); Rhythm ECG; Interpretation/Report	Interpretation and Report Only		—	-
	entral Nervous System Assessment - Aphasia	Assessment of Aphasia, Per Hour	V	~	~
96110* Ce	entral Nervous System Assessment - Developmental Screening	Developmental Screening, Per Standardized Instrument	V	V	V
	entral Nervous System Assessment - Developmental Test Administration	Developmental Test Administration; First Hour	<u> </u>	<i>y</i>	<u> </u>
	entral Nervous System Assessment - Developmental Test Administration	Developmental Test Administration; Each Additional 30 Minutes	<u> </u>	<i>y</i>	<u> </u>
	entral Nervous System Assessment - Neurobehavioral Status	Neurobehavioral Status Exam: First Hour	<u> </u>	<i>y</i>	<u> </u>
	,			<i>y</i>	y
96121* Ce	entral Nervous System Assessment - Neurobehavioral Status	Neurobehavioral Status Exam; Each Additional Hour	~	~	~
	epression Screening	Brief Emotional/Behavioral Assessment (for Example, Depression Inventory, Attention-Deficit/Hyperactivity Disorder [ADHD] Scale), with Scoring and Documentation, Per Standardized Instrument	✓	~	✓
	entral Nervous System Assessment - Psychological Testing Evaluation Services	Psychological Testing Evaluation Services; First Hour	✓	~	✓
96131* Ce	entral Nervous System Assessment - Psychological Testing Evaluation Services	Psychological Testing Evaluation Services; Each Additional Hour	✓	✓	~
96132* Ne	europsychological Testing Evaluation Services	Neuropsychological Testing Evaluation Services; First Hour	~	✓	✓
96133* Ne	europsychological Testing Evaluation Services	Neuropsychological Testing Evaluation Services; Each Additional Hour	V	<	~
96136* Psy	sychological or Neuropsychological Test Administration & Scoring	Psychological or Neuropsychological Test Administration and Scoring, Two or More Tests; First 30 Minutes	V	✓	✓
96137* Psy	sychological or Neuropsychological Test Administration & Scoring	Psychological or Neuropsychological Test Administration and Scoring, Two or More Tests; Each Additional 30 Minutes	V	V	4
	sychological or Neuropsychological Test Administration & Scoring by Technician	Psychological or Neuropsychological Test Administration and Scoring by Technician, Two or More Tests; First 30 Minutes	V	V	V
	sychological or Neuropsychological Test Administration & Scoring by Technician	Psychological or Neuropsychological Test Administration and Scoring by Technician, Two or More Tests; Each Additional 30 Minutes	~	~	~
96146* Psy	sychological or Neuropsychological Test Administration with Automated Result	Psychological or Neuropsychological Test Administration, with Single Automated, Standardized Instrument Via Electronic Platform with Automated Result Only	~	~	~
96160 He	ealth Risk Assessment	Administration of Patient-Focused Health Risk Assessment Instrument (e.g., Health Hazard Appraisal) with Scoring and Documentation, Per Standardized Instrument.	~	~	~
96161 He	ealth Risk Assessment	Administration of Caregiver-Focused Health Risk Assessment Instrument (e.g., Depression inventory) for the Benefit of the Patient, with Scoring and Documentation. Per Standardized Instrument.	~	~	~
99000 Lab	b Handling of Specimens	Handling and Preparation Specimens If Sending to an Outside Lab or State Lab	_	~	V
	bbacco Use Counseling and Intervention	Physician Educational Services Rendered to Patients in a Group Setting (e.g., Prenatal, Obesity, or Diabetic Instructions)	V	V	V
		Office or Other Outpatient Visit for the Evaluation and Management of a New Patient, Which Requires These 3 Key Components:			
99202 Off	ffice Visit - New Patient Level 2	An Expanded Problem Focused History; An Expanded Problem Focused Examination; Straightforward Medical Decision Making. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Low to Moderate Severity. Typically. 20 Minutes Are Spent Face-to-Face with the Patient and/or Family.	~	~	~

CPT Code	Procedure	CPT/HCPCS Code Description	CMSP	PTH	стс
99203	Office Visit - New Patient Level 3	Office or Other Outpatient Visit for the Evaluation and Management of a New Patient, Which Requires These 3 Key Components: An Expanded Problem Focused History; An Expanded Problem Focused Examination; Straightforward Medical Decision Making. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Low to Moderate Severity. Typically, 30-44 Minutes Are Spent Face-to-Face with the Patient and/or Family.	~	~	~
99204	Office Visit - New Patient Level 4	Office or Other Outpatient Visit for the Evaluation and Management of a New Patient, Which Requires These 3 Key Components: An Expanded Problem Focused History; An Expanded Problem Focused Examination; Straightforward Medical Decision Making. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Moderate to High Severity. Typically, 45 Minutes Are Spent Face-To-Face with the Patient and/or Family.	*	~	~
99205	Office Visit - New Patient Level 5	Office or Other Outpatient Visit for the Evaluation and Management of a New Patient, Which Requires These 3 Key Components: An Expanded Problem Focused History; An Expanded Problem Focused Examination; Straightforward Medical Decision Making. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Moderate to High Severity. Typically, 60 Minutes Are Spent Face-To-Face with the Patient and/or Family.	~	~	~
99211	Office Visit - Established Patient Level 1	Office or Other Outpatient Visit for the Evaluation and Management of An Established Patient That May Not Require the Presence of a Physician or Other Qualified Health Care Professional. Usually, the Presenting Problem(s) Are Minimal. Typically, 5 Minutes Are Spent Performing or Supervising These Services.	~	~	~
99212	Office Visit - Established Patient Level 2	Office or Other Outpatient Visit for the Evaluation and Management of An Established Patient, Which Requires At Least 2 of These 3 Key Components: a Problem Focused History; a Problem Focused Examination; Straightforward Medical Decision Making. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are Self Limited or Minor. Typically, 10 Minutes Are Spent Face-To-Face with the Patient and/or Family.	>	~	~
99213	Office Visit - Established Patient Level 3	Office or Other Outpatient Visit for the Evaluation and Management of An Established Patient, Which Requires At Least 2 of These 3 Key Components: An Expanded Problem Focused History; An Expanded Problem Focused Examination; Medical Decision Making of Low Complexity. Counseling and Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Low to Moderate Severity. Typically, 15 Minutes Are Spent Face-To-Face with the Patient and/or Family.	*	~	~
99214	Office Visit - Established Patient Level 4	Office or Other Outpatient Visit for the Evaluation and Management of An Established Patient, Which Requires At Least 2 of These 3 Key Components: a Detailed History; a Detailed Examination; Medical Decision Making of Moderate Complexity. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Moderate to High Severity. Typically. 25 Minutes Are Spent Face-To-Face with the Patient and/or Family.	~	~	~
99215	Office Visit - Established Patient Level 5	Office or Other Outpatient Visit for the Evaluation and Management of An Established Patient, Which Requires At Least 2 of These 3 Key Components: a Comprehensive History; a Comprehensive Examination; Medical Decision Making of High Complexity. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Moderate to High Severity. Typically, 40 Minutes Are Spent Face-To-Face with the Patient and/or Family.	~	~	~
99241	Office Consultation - Level 1	Office Consultation for a New or Established Patient, Which Requires These 3 Key Components: a Problem Focused History; a Problem Focused Examination; and Straightforward Medical Decision Making. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and Or/Family's Needs. Usually, the Presenting Problem(s) Are Self Limited or Minor. Typically, 15 Minutes Are Spent Face-To-Face with the Patient and/or Family.	*	~	~
99242	Office Consultation - Level 2	Office Consultation for a New or Established Patient, Which Requires These 3 Key Components: An Expanded Problem Focused History; An Expanded Problem Focused Examination; and Straightforward Medical Decision Making. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Low Severity. Typically, 30 Minutes Are Spent Face-To-Face with the Patient and/or Family.	~	~	~
99243	Office Consultation - Level 3	Office Consultation for a New or Established Patient, Which Requires These 3 Key Components: a Detailed History; a Detailed Examination; and Medical Decision Making of Low Complexity. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Moderate Severity. Typically, 40 Minutes Are Spent Face-To-Face with the Patient and/or Family.	~	~	~
99244	Office Consultation - Level 4	Office Consultation for a New or Established Patient, Which Requires These 3 Key Components: a Comprehensive History; a Comprehensive Examination; and Medical Decision Making of Moderate Complexity. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of the Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Moderate to High Severity. Typically, 60 Minutes Are Spent Face-To-Face with the Patient and/or Family.	~	~	~
99245	Office Consultation - Level 5	Office Consultation for a New or Established Patient, Which Requires These 3 Key Components: a Comprehensive History; a Comprehensive Examination; and Medical Decision Making of High Complexity. Counseling and/or Coordination of Care with Other Physicians, Other Qualified Health Care Professionals, or Agencies Are Provided Consistent with the Nature of Problem(s) and the Patient's and/or Family's Needs. Usually, the Presenting Problem(s) Are of Moderate to High Severity. Typically, 80 Minutes Are Spent Face-To-Face with the Patient and/or Family.	~	~	~

Sough Services in the Columnia Service in the Service in the Columnia Service	CPT Code	Procedure	CPT/HCPCS Code Description	CMSP	РТН	стс
Particular Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Compensation (including 1939) Years Provinciative Office Visit - Revealable in 1939 Years Provinciative Office Visit - Provinciative Office Visit - Provinciative Office Visi	99354*	Prolonged Services in the Outpatient Setting	Prolonged Services in the Outpatient Setting Requiring Direct Patient Contact Beyond the Time of the Usual Service; First Hour	✓	~	~
Processable Office Vist - Comprehensive Initial 64 of Varian Processable Office Vist - Comprehensive Initial 64 of Varian Appropriate Hosting, Examination, Countering Professional Conference of An Hostidation Initialization, and the Ordering of Xi V V V V V V V V V V V V V V V V V V	99385	Preventative Office Visit - Comprehensive Initial 18-39 Years	Appropriate History, Examination, Counseling/Anticipatory Guidance/Risk Factor Reduction Interventions, and the Ordering of Laboratory/Diagnostic Procedures, New Patient; 18-39 Years	~	~	~
Septimentary Contractives Citize Visit - Comprehensive Intellia 65+ Visits Appropriate Health of Exemption Procedure Appropriate Health of Exemption P	99386	Preventative Office Visit - Comprehensive Initial 40-64 Years	Appropriate History, Examination, Counseling/Anticipatory Guidance/Risk Factor Reduction Interventions, and the Ordering of Laboratory/Diagnostic Procedures, New Patient; 40-64 Years	~	~	~
Apropriate History, Estimation, Courseling Anticipation (1-10) Interventions, and the Ordering of V V V V V V V V V V V V V V V V V V	99387	Preventative Office Visit - Comprehensive Initial 65+ Years	Appropriate History, Examination, Counseling/Anticipatory Guidance/Risk Factor Reduction Interventions, and the Ordering of Laboratory/Diagnostic Procedures, New Patient; 65 Years and Older	×	~	×
Percentic Componentarion Procurement Medicine Reconstanting and Angain and Genetic Appropriate History, Estimation, Counsaling of New Appropriates (Part Visit Special Components) (New York of New Appropriates (Part Visit Special Components) (New York of New Appropriates (Part Visit) (New Appropriates (Part Vi	99395	Preventative Office Visit - Reevaluation 18-39 Years	Appropriate History, Examination, Counseling/Anticipatory Guidance/Risk Factor Reduction Interventions, and the Ordering of	~	~	~
Preventiew Medicine Counseling 30 Minutes - Obesity or Other Preventiew Medicine Counseling 30 Minutes - Obesity or Other Preventiew Medicine Counseling 30 Minutes - Obesity or Other Preventiew Medicine Counseling 30 Minutes - Obesity or Other Preventiew Medicine Counseling 30 Minutes - Obesity or Other Preventiew Medicine Counseling 30 Minutes - Obesity or Other Preventiew Medicine Counseling 30 Minutes - Obesity or Other Preventiew Medicine Counseling 30 Minutes - Obesity or Other Preventiew Medicine Counseling 30 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 40 Minutes - Obesity or Other Preventiew Medicine Counseling 50 Minutes - Obesity or Other Preventiew Medicine Counseling 50 Minutes - Obesity or Other Preventiew Medicine Counseling 50 Minutes - Obesity or Other Preventiew Medicine Counseling 50 Minutes - Obesity or Other Preventiew Medicine Counseling 50 Minutes - Obesity or Other Preventiew Medicine Counseling 50 Minutes - Obesity or Other - Obesity O	99396	Preventative Office Visit - Reevaluation 40-64 Years	Periodic Comprehensive Preventive Medicine Reevaluation and Management of An Individual Including An Age and Gender Appropriate History, Examination, Counseling/Anticipatory Guidance/Risk Factor Reduction Interventions, and the Ordering of	~	~	~
Perventive Medicine Courseling 15 Minutes - Obesity or Other Approximately 15 Minutes Approximately 25 Minutes Approximatel	99397	Preventative Office Visit - Reevaluation 65+ Years	Appropriate History, Examination, Counseling/Anticipatory Guidance/Risk Factor Reduction Interventions, and the Ordering of	×	>	×
Approximately 80 Minutes Provention Wednice Counseling 30 Minutes Provention Wednice Counseling 45 Minutes Prov	99401	Preventative Medicine Counseling 15 Minutes - Obesity or Other		~	>	~
Approximative Nedicine Counseling 4 of Minutes Preventiative Medicine Counseling 4 of Minutes Preventiative Medicine Counseling 2 Minutes Preventiative Medicine Counseling 1 Minutes Preventiative M	99402	Preventative Medicine Counseling 30 Minutes - Obesity or Other		~	~	~
Approximately 60 Minutes Approximately 60 M	99403	Preventative Medicine Counseling 45 Minutes - Obesity or Other		~	~	~
Smoking and Tobacco Use Counseling and Intervention Greater than 10 Minutes Alchold Misuse: Screening and Behavioral Counseling for Adults 1 > 30 Minutes Alchold Misuse: Screening and Behavioral Counseling for Adults > 30 Minutes Alchold Misuse: Screening and Behavioral Counseling for Adults > 30 Minutes Alchold and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Services, 19 to 30 Minutes Alchold and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Services, 19 to 30 Minutes Alchold and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Services, 19 to 30 Minutes Constitution of the Control of Control of Services (CMS) Has Created a Code That May Be Control of Cont	99404	Preventative Medicine Counseling 60 Minutes - Obesity or Other		~	~	~
Alcohol Misuse: Screening and Behavioral Counseling for Adults 15 - 30 Minutes Alcohol and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Alcohol and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Alcohol and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Alcohol and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Alcohol and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Alcohol and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Alcohol and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Alcohol and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI) Alcohol Misuse: Screening and Behavioral Counseling for Adults > 30 Minutes For Hospital Outpatient Clinics, the Centers of Medicare and Medi						
Alcohol Misuse: Screening and Behavioral Counseling for Adults > 30 Minutes Alcohol Misuse: Screening and Behavioral Counseling for Adults > 30 Minutes		ï ·	Alcohol and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI)	y	· ·	
Hospital Outpatient Clinic Visit Specimen Collection for Severe Acute Respiratory Syndrome Coronavirus 2 (Sars-Cov-2) (Coronavirus Disease [COVID-19]), Any Specimen Source Series (Covid-19], Any Specimen Specim	99409	Alcohol Misuse: Screening and Behavioral Counseling for Adults > 30 Minutes	Alcohol and/or Substance (Other Than Tobacco) Abuse Structured Screening (e.g., Audit, Dast), and Brief Intervention (SBI)	~	~	~
Colorectal Cancer Colorectal C	C9803		For Hospital Outpatient Clinics, the Centers for Medicare and Medicaid Services (CMS) Has Created a Code That May Be Reported to Identify and Reimburse Specimen Collection for COVID-19 Testing Under the Outpatient Prospective Payment System (OPPS). Specimens May Be Obtained Through a Variety of Sources, Such As Nasopharyngeal or Oropharyngeal Swab,	~	~	~
Colorectal Cancer Screening, Alternative to G0104, Screening Sigmoidoscopy, Barlum Enema Colorectal Cancer Cereening, Alternative to G0105, Screening Oscopy, Barlum Enema Colorectal Cancer Cereening, Alternative to G0105, Screening Oscopy, Barlum Enema Colorectal Cancer Cereening, Alternative to G0105, Screening Oscopy, Barlum Enema Colorectal Cancer Cereening, Alternative to G0105, Screening Oscopy, Barlum Enema Colorectal Cancer Cereening, Barlum Enema Low-Dose Computed Tomography for Lung Cancer Screening Colorectal Cancer Screening, Barlum Enema Low-Dose Computed Tomography for Lung Cancer Screening Colorectal Cancer Screening, Barlum Enema Low-Dose Computed Tomography for Lung Cancer Screening Colorectal Cancer Screening, Intended Screening, Intended Enemals, Intended			Colorectal Cancer Screening; Flexible Sigmoidoscopy			
Colorectal Cancer Screening, Alternative to G0105, Screening Colonoscopy, Parlum Enema Colorectal Cancer Screening, Colonoscopy, Barlum Enema Colorectal Cancer Screening, Colonoscopy, Barlum Enema Colorectal Cancer Screening, Colorectal Cancer Colorectal Cancer Screening, Endinvisual Not Meeting Criteria for High Risk Colorectal Cancer Screening, Barlum Enema Colorectal Cancer Screening, Colorectal Cancer Scree						
Colorectal Cancer Screening: Colonoscopy - Colorectal Cancer Colorectal Cancer Screening: Colonoscopy On Individual Not Meeting Criteria for High Risk Colorectal Cancer Screening: Barium Enema Colorectal Cancer Screening: Barium Enema Colorectal Cancer Screening: Cancer Screening: Colorectal Cancer Screening: Colorectal Cancer Screening: Cancer Screening						_
Low-Dose CT Scan (LDCT) for Lung Cancer Screening Low-Dose Computed Tomography for Lung Cancer Screening Low-Dose Computed Tomography for Lung Cancer Screening Colorectal Cancer Screening Smith Colorectal Cancer Screening Colorectal Cancer Screening Colorectal Cancer Screening Colorectal Cancer Screening Smith Colorectal Cancer Screening Colorectal Cancer Screening Smith Colorectal Cancer Screening Colorectal Cancer Screen				V	V	V
Goldental Cancer Screening Colorectal Cancer Screening Color				V	/	V
GO442 Alcohol Misuse: Screening and Behavioral Counseling for Adults Brief Face-To-Face Behavioral Counseling for Adults Annual Depression Screening, 15 Minutes Annual Depression Screening, 15 Minutes Bright Face-To-Face, Individual, Performed Semi-Annually, 30 Minutes Bright Face-To-Face, Individual, Performed Semi-Annually, 30 Minutes Bright Face-To-Face, Individual, Face-To-Face, Individual, Performed Semi-Annually, 30 Minutes Bright Face-To-Face Behavioral Counseling to Prevent Sexually Transmitted Infection; Face-To-Face, Annual, 15 Minutes Bright Face-To-Face Behavioral Counseling to Prevent Sexually Transmitted Infection; Face-To-Face, Individual, Performed Semi-Annually, 30 Minutes Bright Face-To-Face Behavioral Counseling to Prevent Sexually Transmitted Infection; Face-To-Face, Individual, Performed Semi-Annually, 30 Minutes Bright Face-To-Face Behavioral Counseling to Prevent Sexually Transmitted Infection; Face-To-Face, Individual, Face-To-Face, Individual, Face-To-Face, Individual, Face-To-Face, Individual, Face-To-Face, Behavioral Counseling to Desity, 15 Minutes Bright Face-To-Face Behavioral Counseling of Obesity, 15 Minutes Bright Face-To-Face Behavioral Counseling for Obesity, 15 Minutes Bright Face-To-Face, Individual Sright Fa						
G0444 Depression Screening and Behavioral Counseling for Adults G0444 Depression Screening G0445 Sexually Transmitted Infections: Behavioral Counseling G0446 Healthy Diet Counseling G0447 Obesity Counseling G0447 Obesity Counseling G0447 Hepatitis C Virus Screening G0448 Hepatitis C Virus Screening G0449 Hepatitis C Virus Screening G0440 Hepatitis C Virus Screening G0441 Hepatitis C Virus Screening G0442 Hepatitis C Virus Screening G0443 Alcohol and/or Drug Abuse Treatment Services - Individual Counseling G0444 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0445 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0446 Alcohol and/or Drug Services; Group Counseling G0447 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0450 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0550 Alcohol and/or Drug Abuse Treatment Services - Group Counseling G0550 Alcohol and/or Drug Abuse Treatment Servic						
G0444 Depression Screening G0445 Sexually Transmitted Infections: Behavioral Counseling High Intensity Behavioral Counseling to Prevent Sexually Transmitted Infection; Face-To-Face, Individual, Performed Semi-Annually, 30 Minutes G0446 Healthy Diet Counseling Intensive Behavioral Therapy to Reduce Cardiovascular Disease Risk, Individual, Face-To-Face, Annual, 15 Minutes G0447 Obesity Counseling Face-To-Face Behavioral Counseling for Obesity, 15 Minutes G0472 Hepatitis C Virus Screening Hepatitis C Antibody Screening for Individual At High Risk and Other Covered Indication(s) G0473 Obesity Counseling Face-To-Face Behavioral Counseling for Obesity, Group (2-10), 30 Minutes H00047 Alcohol and/or Drug Abuse Treatment Services - Individual Counseling Alcohol and/or Drug Services; Behavioral Health Counseling and Therapy, Per 15 Minutes Alcohol and/or Drug Abuse Treatment Services - Group Counseling Alcohol and/or Drug Services; Group Counseling by Clinician G02035 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluiaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluiaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluiaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluiaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluivrin) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Otherwise Specified) Electron Beam Computed Tomography (Also Known As Ultrafast CT, Cine CT)				-		<u> </u>
Sexually Transfirmed Infections: Behavioral Counseling G0446 Healthy Diet Counseling Intensive Behavioral Therapy to Reduce Cardiovascular Disease Risk, Individual, Face-To-Face, Annual, 15 Minutes G0477 Obesity Counseling G0478 Hepatitis C Virus Screening Hepatitis C Antibody Screening for Individual At High Risk and Other Covered Indication(s) G0479 Obesity Counseling Face-To-Face Behavioral Counseling for Obesity, Group (2-10), 30 Minutes Hepatitis C Antibody Screening for Individual At High Risk and Other Covered Indication(s) Face-To-Face Behavioral Counseling for Obesity, Group (2-10), 30 Minutes Alcohol and/or Drug Abuse Treatment Services - Individual Counseling Alcohol and/or Drug Services; Behavioral Health Counseling and Therapy, Per 15 Minutes H0005† Alcohol and/or Drug Abuse Treatment Services - Group Counseling Alcohol and/or Drug Services; Group Counseling behavioral Counseling by Clinician Q2035 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Flulaval) Q2037 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluvirin) Q2038 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluvirin) Q2038 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluvirin) Q2039 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluzone) Q2039 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluzone) Q2039 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals				V	V	V
G0447 Obesity Counseling Face-To-Face Behavioral Counseling for Obesity, 15 Minutes Hepatitis C Virus Screening for Individual At High Risk and Other Covered Indication(s) Hepatitis C Antibody Screening for Individual At High Risk and Other Covered Indication(s) Hepatitis C Antibody Screening for Individual At High Risk and Other Covered Indication(s) Hepatitis C Virus Screening for Obesity, 15 Minutes House Face-To-Face Behavioral Counseling for Obesity Group (2-10), 30 Minutes House Face-To-Face Behavioral Counseling for Obesity Group (2-10), 30 Minutes House Face-To-Face Behavioral Counseling for Obesity Group (2-10), 30 Minutes House Face-To-Face Behavioral Counseling for Obesity Group, Per 15 Minutes Ho		,	Annually, 30 Minutes	✓	✓	~
Hepatitis C Virus Screening G0472 Hepatitis C Virus Screening G0473 Obesity Counseling Hepatitis C Antibody Screening for Individual At High Risk and Other Covered Indication(s) Face-To-Face Behavioral Counseling for Obesity, Group (2-10), 30 Minutes H0004† Alcohol and/or Drug Abuse Treatment Services - Individual Counseling Alcohol and/or Drug Services; Behavioral Health Counseling and Therapy, Per 15 Minutes H0005† Alcohol and/or Drug Abuse Treatment Services - Group Counseling Alcohol and/or Drug Services; Group Counseling by Clinician Alcohol and/or Drug Services; Group Counseling by Clinician Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Afluria) Alcohol and/or Drug Abuse Treatment Services - Group Counseling Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) Influenza Virus Vaccine, Split Virus, When Administered to Individ						
G0473 Obesity Counseling Face-To-Face Behavioral Counseling for Obesity, Group (2-10), 30 Minutes H0004 [†] Alcohol and/or Drug Abuse Treatment Services - Individual Counseling Alcohol and/or Drug Services; Behavioral Health Counseling and Therapy, Per 15 Minutes ### Alcohol and/or Drug Abuse Treatment Services - Group Counseling Alcohol and/or Drug Services; Group Counseling by Clinician ### Alcohol and/or Drug Abuse Treatment Services - Group Counseling Alcohol and/or Drug Services; Group Counseling by Clinician ### Alcohol and/or Drug Abuse Treatment Services - Group Counseling by Clinician ### Alcohol and/or Drug Abuse Treatment Services - Group Counseling by Clinician ### Alcohol and/or Drug Abuse Treatment Services - Group Counseling by Clinician ### Alcohol and/or Drug Abuse Treatment Services - Group Counseling and Therapy, Per 15 Minutes ### Alcohol and/or Drug Abuse Treatment Services - Individuals 3 Years of Age and Older, for Intramuscular Use (Affuria) ### Alcohol and/or Drug Abuse Treatment Services - Individuals 3 Years of Age and Older, for Intramuscular Use (Affuria) ### Alcohol and/or Drug Abuse Treatment Services - Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) ### Alcohol and/or Drug Abuse Treatment Services - Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) ### Alcohol and/or Drug Abuse Treatment Services - Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) ### Alcohol and/or Drug Abuse Treatment Services - Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) ### Alcohol and/or Drug Abuse Treatment Services - Group Counseling and Therapy, Per 15 Minutes ### Alcohol and/or Drug Abuse Treatment Services - Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) ### Alcohol and/or Drug Abuse Treatment Services - Group Counseling and Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluaval) ### Alcohol and/or Drug Abu				<u> </u>		
H0004† Alcohol and/or Drug Abuse Treatment Services - Individual Counseling Alcohol and/or Drug Services; Behavioral Health Counseling and Therapy, Per 15 Minutes Alcohol and/or Drug Abuse Treatment Services - Group Counseling Alcohol and/or Drug Services; Group Counseling by Clinician Alcohol and/or Drug Services; Group Counseling by Clinician Alcohol and/or Drug Services; Group Counseling by Clinician Alcohol and/or Drug Abuse Treatment Services - Group Counseling Alcohol and/or Drug Services; Group Counseling by Clinician Alcohol and/or Drug Services; Group Counseling by Clinician Alcohol and/or Drug Services; Group Counseling by Clinician Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Afluria) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Flulavali) Alcohol and/or Drug Services; Behavioral Health Counseling and Therapy, Per 15 Minutes Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Flulavali) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluzone) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluzone) Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not V V V Otherwise Specified) Electron Beam for Lung Cancer Screening Electron Beam Computed Tomography (Also Known As Ultrafast CT, Cine CT)						
H0005 [†] Alcohol and/or Drug Abuse Treatment Services - Group Counseling Alcohol and/or Drug Services; Group Counseling by Clinician D2035 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Afluria) D2036 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Flulaval) D2037 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluivrin) D2038 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluzone) D2039 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluzone) D2039 Immunizations Adult Influenza D3030 Immunizations Adult Influenza D						
Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Afluria) V V				· ·		
Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Flulaval) Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluvirin) Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluvirin) Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluzone) Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluzone) Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluzone) Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Not Vaccine, Split Virus, When Administered		, , ,		V	V	V
Q2038 Immunizations Adult Influenza Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Fluzone) V V			Influenza Virus Vaccine, Split Virus, When Administered to Individuals 3 Years of Age and Older, for Intramuscular Use (Flulaval)	*	V	V
Q2039 Immunizations Adult Influenza Influenza Specified) S8092 CT - Electron Beam for Lung Cancer Screening Electron Beam Computed Tomography (Also Known As Ultrafast CT, Cine CT)				*		- V
S8092 CT - Electron Beam for Lung Cancer Screening Electron Beam Computed Tomography (Also Known As Ultrafast CT, Cine CT)						
				*	-	
				<u> </u>		

CPT Code	Procedure	CPT/HCPCS Code Description	CMSP	РТН	стс
U0001		The 2019-Novel Coronavirus (2019-nCoV or COVID-19 Real-Time RT-PCR Diagnostic Panel Is a Molecular In Vitro Diagnostic Test Intended for Presumptive Qualitative Detection of Nucleic Acid From COVID-19 In Both Upper and Lower Respiratory Tract Specimens (e.g., Naso- or Oropharyngeal Swabs, Sputum, Aspirates, Etc.) Collected From Patients That Meet Centers for Disease Control and Prevention (CDC) Testing Criteria.	>	~	~
U0002	2019-nCoV Coronavirus, Sars-nCoV-2/2019-nCoV (COVID-19), Any Technique, Multiple Types	the 2019-Novel Coronavirus (2019-Ncov or Covid-19) Real-Time Rt-Pcr Diagnostic Panel Is a Molecular In Vitro Diagnostic Test Intended for Presumptive Qualitative Detection of Nucleic Acid From Covid-19 In Both Upper and Lower Respiratory Tract Specimens (E.G., Naso- or Oropharyngeal Swabs, Sputum, Aspirates, Etc.) Collected From Patients That Meet Centers for Disease Control and Prevention (Cdc) Testing Criteria.	~	~	~
U0003		The 2019-Novel Coronavirus (2019-nCoV or COVID-19 Real-Time RT-PCR Diagnostic Panel Is a Molecular In Vitro Diagnostic Test Intended for Presumptive Qualitative Detection of Nucleic Acid From COVID-19 In Both Upper and Lower Respiratory Tract Specimens (e.g., Naso- or Oropharyngeal Swabs, Sputum, Aspirates, Etc.) Collected From Patients That Meet Centers for Disease Control and Prevention (CDC) Testing Criteria	>	<	~
U0004		The 2019-Novel Coronavirus (2019-nCoV or COVID-19 Real-Time RT-PCR Diagnostic Panel Is a Molecular In Vitro Diagnostic Test Intended for Presumptive Qualitative Detection of Nucleic Acid From COVID-19 In Both Upper and Lower Respiratory Tract Specimens (e.g., Naso- or Oropharyngeal Swabs, Sputum, Aspirates, Etc.) Collected From Patients That Meet Centers for Disease Control and Prevention (CDC) Testing Criteria	~	>	>
X3900§	Physical Therapy - Rehabilitation Services	Single Modality to One Area – Initial 30 Minutes	>	~	✓
X3902§	Physical Therapy - Rehabilitation Services	Single Modality to One Area – Each Additional 15 Minutes	>	~	✓
X3904§	Physical Therapy - Rehabilitation Services	Single Procedure to One Area – Initial 30 Minutes	>	~	✓
X3906§	Physical Therapy - Rehabilitation Services	Single Procedure to One Area – Each Additional 15 Minutes	>	~	✓
X3908§	Physical Therapy - Rehabilitation Services	Treatment Including a Combination of Any Modalities and Procedures (One or More Areas) – Initial 30 Minutes	>	~	✓
X3910§	Physical Therapy - Rehabilitation Services	Treatment Including a Combination of Any Modalities and Procedures (One or More Areas) – Each Additional 15 Minutes	>	~	✓
X3912§	Physical Therapy - Rehabilitation Services	Hubbard Tank – Initial 30 Minutes	>	✓	✓
X3914§	Physical Therapy - Rehabilitation Services	Hubbard Tank – Each Additional 15 Minutes	~	~	✓
X3916§	Physical Therapy - Rehabilitation Services	Hubbard Tank or Pool Therapy with Therapeutic Exercise – Initial 30 Minutes	~	~	✓
X3918§	Physical Therapy - Rehabilitation Services	Hubbard Tank or Pool Therapy with Therapeutic Exercise – Each Additional 15 Minutes	~	~	~
X3920§	Physical Therapy - Rehabilitation Services	Any of the Tests and Measurements – Initial 30 Minutes, Plus Report	~	~	✓
X3922§	Physical Therapy - Rehabilitation Services	Any of the Tests and Measurements – Each Additional 15 Minutes, Plus Report	~	~	✓
X3924§	Physical Therapy - Rehabilitation Services	Physical Therapy Preliminary Evaluation Rehabilitation Center, SNF, ICF	>	~	~

^{*}Mental health services limited to 12 visits per benefit period for CMSP and limited to 6 visits per benefit period for Path to Health and Connect to Care. Mental health services in excess of these visits limits within a member's benefit period will not be payable by CMSP, Path to Health, or Connect to Care.

†Alcohol and/or Drug Abuse services limited to 12 visits per benefit period for CMSP and limited to 6 visits per benefit period for Path to Health and Connect to Care. Alcohol and/or Drug Abuse services in excess of these visits limits within a member's benefit period will not be payable by CMSP, Path to Health, or Connect to Care.

\$Physical Therapy services limited to 24 visits per benefit period. Physical Therapy services in excess of 24 visits within a member's benefit period will not be payable by CMSP, Path to Health, or Connect to Care.

For questions & the most up-to-date procedure code list, contact the appropriate program's customer service department or visit the program's website:

CMSP Benefit Program - Customer Service: (877) 589-6807
Path to Health Program - Customer Service: (877) 283-7284
Connect to Care Program - Customer Service: (888) 614-0846
Website: https://connecttocare.amm.cc/
Website: https://connecttocare.amm.cc/



